

ACTON

Tête cylindrique six pans creux
filetage total.



Caractéristiques

Référence	boîte de	épaisseur tête k (mm)	longueur (mm)	Ø (mm)	Ø empreinte s (mm)	Ø tête (mm)	Prix HT
187660	200	3	6	3	2,5	5,5	-
187661	200	3	8	3	2,5	5,5	-
187662	200	3	10	3	2,5	5,5	-
187663	200	3	12	3	2,5	5,5	-
187664	200	3	16	3	2,5	5,5	-
187671	200	4	10	4	3,0	7,0	-
187672	200	4	12	4	3,0	7,0	-
187670	200	4	8	4	3,0	7,0	-
187665	200	3	20	3	2,5	5,5	-
187673	200	4	16	4	3,0	7,0	-
187666	200	3	25	3	2,5	5,5	-
187695	200	6	20	6	5,0	10	-
187667	200	3	30	3	2,5	5,5	-
187674	200	4	20	4	3,0	7,0	-
187681	200	5	10	5	4,0	8,5	-
187682	200	5	12	5	4,0	8,5	-
187668	200	3	35	3	2,5	5,5	-
187683	200	5	16	5	4,0	8,5	-
187697	200	6	30	6	5,0	10	-
187675	200	4	25	4	3,0	7,0	-
187669	200	3	40	3	2,5	5,5	-
187676	200	4	30	4	3,0	7,0	-

Référence	boîte de	épaisseur tête k (mm)	longueur (mm)	Ø (mm)	Ø empreinte s (mm)	Ø tête (mm)	Prix HT
187684	200	5	20	5	4,0	8,5	-
187699	200	6	40	6	5,0	10	-
187677	200	4	35	4	3,0	7,0	-
187678	200	4	40	4	3,0	7,0	-
187693	200	6	12	6	5,0	10	-
187685	200	5	25	5	4,0	8,5	-
187700	100	6	45	6	5,0	10	-
187705	100	8	16	8	6,0	13	-
187692	200	6	10	6	5,0	10	-
187694	200	6	16	6	5,0	10	-
187706	100	8	20	8	6,0	13	-
187686	200	5	30	5	4,0	8,5	-
187701	100	6	50	6	5,0	10	-
187687	200	5	35	5	4,0	8,5	-
187680	200	4	50	4	3,0	7,0	-
187707	100	8	25	8	6,0	13	-
187679	200	4	45	4	3,0	7,0	-
187708	100	8	30	8	6,0	13	-
187702	100	6	60	6	5,0	10	-
187696	200	6	25	6	5,0	10	-
187688	200	5	40	5	4,0	8,5	-
187709	100	8	35	8	6,0	13	-
187723	50	10	45	10	8,0	16	-
187703	100	6	70	6	5,0	10	-
187724	50	10	50	10	8,0	16	-
187698	200	6	35	6	5,0	10	-
187710	100	8	40	8	6,0	13	-
187689	200	5	45	5	4,0	8,5	-
187725	50	10	55	10	8,0	16	-
187711	100	8	45	8	6,0	13	-
187726	50	10	60	10	8,0	16	-
187704	100	6	80	6	5,0	10	-
187733	50	12	40	12	10,0	18	-
187712	100	8	50	8	6,0	13	-
187717	50	8	100	8	6,0	13	-
187718	100	10	20	10	8,0	16	-
187734	50	12	45	12	10,0	18	-
187719	100	10	25	10	8,0	16	-
187735	50	12	50	12	10,0	18	-
187727	50	10	70	10	8,0	16	-
187713	100	8	55	8	6,0	13	-

Référence	boîte de	épaisseur tête k (mm)	longueur (mm)	Ø (mm)	Ø empreinte s (mm)	Ø tête (mm)	Prix HT
187720	100	10	30	10	8,0	16	-
187690	200	5	55	5	4,0	8,5	-
187721	100	10	35	10	8,0	16	-
187714	100	8	60	8	6,0	13	-
187691	200	5	60	5	4,0	8,5	-
187736	50	12	60	12	10,0	18	-
187722	100	10	40	10	8,0	16	-
187728	50	10	90	10	8,0	16	-
187737	50	12	70	12	10,0	18	-
187715	100	8	70	8	6,0	13	-
187729	50	10	100	10	8,0	16	-
187730	100	12	25	12	10,0	18	-
187731	100	12	30	12	10,0	18	-
187716	100	8	80	8	6,0	13	-
187738	50	12	80	12	10,0	18	-
187732	100	12	35	12	10,0	18	-
187739	50	12	100	12	10,0	18	-